

L Number	Hits	Search Text	DB	Time stamp
1	8016	(command adj based) or (command adj interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:46
2	1694	((command adj based) or (command adj interface)) and report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:46
4	2	(((((command adj based) or (command adj interface)) and report\$4) and system adj log) and log adj record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:47
5	6	(((((command adj based) or (command adj interface)) and report\$4) and system adj log) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:48
6	6	(((((command adj based) or (command adj interface)) and report\$4) and system adj log) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:48
3	61	((command adj based) or (command adj interface)) and report\$4) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:51
7	11	(((((command adj based) or (command adj interface)) and report\$4) and system adj log) and (707/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53
8	2357	system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:57
9	13341	(gui or (graphic\$4 adj user adj interface)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:54
10	359	((gui or (graphic\$4 adj user adj interface)) and report\$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:55
11	3	((gui or (graphic\$4 adj user adj interface)) and report\$3) and log adj2 record) and report near identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:52
12	9	((gui or (graphic\$4 adj user adj interface)) and report\$3) and log adj2 record) and report near table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53
13	15887	log.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:53

L Number	Hits	Search Text	DB	Time stamp
1	6388	log adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:00
2	483	(log adj file) and sequen\$5 with record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:14
3	2	((log adj file) and sequen\$5 with record) and log adj data with (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:15
4	1677	log adj file near9 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:17
5	1677	(log adj file) near9 system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:17
6	384	((log adj file) near9 system) and (GUI or (graphic\$4 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:00
7	56	((((log adj file) near9 system) and (GUI or (graphic\$4 adj user adj interface)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
8	15	(((((log adj file) near9 system) and (GUI or (graphic\$4 adj user adj interface)))) and 707/\$.ccls.) and sequential and (relational or table or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:28
10	1	(log adj file) and ((sequential adj file) with log) and relational and (log adj record) and (log adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:33
9	16	(log adj file) and sequential and relational and (log adj record) and (log adj data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:34
11	21	(sequential and (relational or database or table or SQL)) near9 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:43
12	0	((sequential adj data) and ((relational adj database) or SQL)) near9 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
13	0	((sequential adj data) and ((relational adj database) or SQL)) near20 (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44

14	0	((sequential adj data) and ((relational adj database) or SQL)) with (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
15	0	((sequential\$3 adj data) and ((relational adj database) or SQL)) with (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
16	0	((sequential\$3 adj data) and ((relational adj database) or SQL)) same (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:44
17	2	((sequential\$3 adj data) and ((relational adj database) or SQL)) and (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:46
18	1	((sequential\$3 adj data) and ((relational adj database) and SQL)) and (log adj record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:47
19	616	(log adj file) same (log adj2 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
20	1	((log adj file) same (log adj2 data)) and (sequential\$3 adj2 data) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:48
21	42	((log adj file) same (log adj2 data)) and (sequential\$3) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
22	1134	(log adj file) and log adj2 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:49
23	105	((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:03
24	84	((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
25	54	((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report) and (GUI or (graphic\$4 adj user adj interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:50
26	8	((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report) and (GUI or (graphic\$4 adj user adj interface))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:01

27	7	(((((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report) and (GUI or (graphic\$4 adj user adj interface))) and 707/\$.ccls.) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:01
28	49	(((((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report) and (GUI or (graphic\$4 adj user adj interface))) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:54
29	1	(((((log adj file) and log adj2 data) and (sequential\$3) and (data adj (type or element))) and report) and (GUI or (graphic\$4 adj user adj interface))) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))) and (crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 07:55
30	20	(log adj file) and (crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
31	2357	system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
32	68	(system adj log) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
33	43	((system adj log) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
34	9	((system adj log) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:09
35	3	((system adj log) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date))) and 707/\$.ccls.) and sequential\$3 and (relational or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
36	190	(crystal adj report)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
37	0	((crystal adj report)) and report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:06
38	83	report adj identifier	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
39	2	(report adj identifier) and report adj table	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07

40	0	(report adj identifier) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
41	33	(report adj identifier) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:07
42	64	(log adj file near9 system) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
43	0	((report adj identifier) and log) and (GUI or (graphic\$4 adj user adj interface)) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
44	7	((report adj identifier) and log) and (log adj2 record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:08
45	6	(report adj identifier) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:11
46	8	(report adj identifier) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
47	3	((report adj identifier) and (707/\$.ccls. or 345/\$.ccls.)) and report near name	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:13
48	1190	(log adj2 (file or record)) same report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
49	179	((log adj2 (file or record)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:14
50	21	((log adj2 (file or record)) same report\$4) and (707/\$.ccls. or 345/\$.ccls.)) and (GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) or report\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:23
51	0	(log adj file) and (GUI or (graphic\$4 adj user adj interface)) same (log adj2 record) same report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24
52	0	(GUI or (graphic\$4 adj user adj interface)) same (log adj2 record) same report\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24

53	8	(GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) and report\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
54	4	((GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) and report\$4)) and (log adj file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:24
55	0	(system adj log) and (GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) and report\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:26
56	51	(system adj log) and (GUI or (graphic\$4 adj user adj interface)) and ((log adj2 record) and report\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:27
57	30	((system adj log) and (GUI or (graphic\$4 adj user adj interface)) and ((log adj2 record) and report\$4)) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
58	4	((system adj log) and (GUI or (graphic\$4 adj user adj interface)) and ((log adj2 record) and report\$4)) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)) and (707/\$.ccls. or 345/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:28
59	430	(system adj log) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:30
60	51	((system adj log) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) or report\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:31
61	25	((system adj log) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) or report\$4)) and sequential\$3 and (relational or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:35
62	14	((system adj log) and (timestamp\$3 or (time adj stamp\$3) or time/date or (time near date)) same (log or record)) and (GUI or (graphic\$4 adj user adj interface)) same ((log adj2 record) or report\$4)) and sequential\$3 and (relational adj database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:35

14	157	log.ti. and (707/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:54
15	1	(log.ti. and (707/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.)) and report\$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
16	1	((log.ti. and (707/\$.ccls. or 345/\$.ccls. or 717/\$.ccls.)) and report\$3.ti.) and (gui or (graphic\$4 adj user adj interface)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:55
17	21	log.ti. and (gui or (graphic\$4 adj user adj interface)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
18	3	(log.ti. and (gui or (graphic\$4 adj user adj interface)) and report\$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
19	12484	report\$3.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
20	229	report\$3.ti. and (gui or (graphic\$4 adj user adj interface)) and report\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
21	4915	20\ and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
22	3	(report\$3.ti. and (gui or (graphic\$4 adj user adj interface)) and report\$3) and log adj2 record	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:56
23	5	(report\$3.ti. and (gui or (graphic\$4 adj user adj interface)) and report\$3) and system adj log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/21 08:57